

# MP36-2

## MOTOR PUMPS - FOR CLEAN WATER




Self priming Petrol powered pumps to move large quantities of water, whether during flooding or simply filling a pond.

### Caracteristici principale

Tip		Apa semi-murdara
Înălțime maximă de aspirare	m	8
Debit de intrare maxim	m	30
Delivery Volume	l/min	600

### Performance curve

Graph



**Date tehnice motor**

Producător motor		Honda
Număr cilindri și amplasare		1 inclination angle
Deplasament	cm <sup>3</sup>	118
Combustibil		Benzină
Sistem de pornire		Pornire la sfoara

**Date tehnice pompă**

Producător		KOSHIN
Diametru conductă de admisie	'	2
Diametru țevă evacuare	'	2
Dimensiune solidă maximă	mm	-

**Informatii dimensiuni**

Lungime	(L) mm	470
Lățime	(W) mm	365
Înălțime	(H) mm	390
Greutate fără combustibil	Kg	26

**Consum combustibil, Timp de funcționare, Nivel zgomot**

Capacitate rezervor combustibil	l	2.0
Timp de funcționare	h	2.0
Nivel zgomot la 7 m	dBA	78
Nivelul de zgomot garantat (LWA)	dBA	103

## Echipamente

Filtru	n°	1
Cuple	n°	2
Colier	n°	3
Bujie		Standard
Protecție ulei		Standard



## Accesorii

Conducte de admisie - lungime 8m	2"
Conducte de admisie - lungime 25m	2"
Țevi de evacuare - lungime 10 m	2"
Țevi de evacuare - lungime 50 m	2"
Țevi de evacuare - lungime 100 m	2"



The information is aligned with the Data file at the time of download. Printed on 08/01/2020 (ID 697)

©2019 | PR INDUSTRIAL s.r.l. | All rights reserved | Image shown may not reflect actual package. Specifications subject to change without notice